LED – SPOT, WASH AND GRAZE FIXTURES

ETC SELADOR LED LIGHT FIXTURES

Go beyond effects lighting and give your theater effective LED luminaires that can be trusted in every application from key, fill and side light to color washes and cyc lighting. Selador™ Series fixtures perform to your standards for warm and cool white light, soft tints, rich pastels, and intense primary colors, without sacrificing energy efficiency. All use the x7 Color System™ – 7 color LEDs providing the broadest color spectrum in any LED fixture Every Selador luminaire is versatile enough to provide a broad range of color and white light, but optimized for a specific lighting task.

PALETTA™

This 2.5W color-mixing fixture is available in 4 different lengths. Uses a medium-power LED with color mix that is balanced for very bright output in the red, orange, pink, magenta, purple, blue, and indigo color families (white light has slightly less brightness). Since it is designed for colored light applications it should be used where only 4 or 5 colors will be used at the maximum level for an extended time period. Great for small and mid-size cycs and stage washes. It also fits in smaller spaces for architectural applications.

LUSTR®

This light is the white light specialist and is available in 4 lengths. It uses the same medium-power LED as Paletta with a color mix that is balanced for high-brightness white and tinted colors. This LED array uses a new Phosphor-Converted Amber LED which provides high brightness and a broader spectral content than regular Amber LEDs. Use this product for key and fill lighting in studios or mid-size theatres. It can also be used with good results on a cyc or in other color applications as well.

VIVID-R

Vivid-R combines high-power Luxeon® Rebel LEDs and high-efficiency lenses for a strong, cutting beam of light and maximum color production. Clear lenses allow a more direct, powerful beam, resulting in longer throws. It provides higher light output than the original Vivid™ fixture while using less power and generating very little heat. The Vivid-R Fire models are dedicated to the warm (red, orange, yellow) spectrums and the Ice models dedicated to the cool (blue) spectrum. Vivid-R models are available in 4 lengths and the Fire/Ice models in 2.

ITEM	DESCRIPTION	PRICE
S4LEDDS-0-X	Daylight 5600K LED fixture, body and shutter assembly, black	2295.00
S4LEDD-0-X	Daylight 5600K LED fixture, body only, black	2240.00
S4LEDTS-0-X	Tungsten 3000K LED fixture, body and shutter assembly, black	2295.00
S4LEDT-0-X	Tungsten 3000K LED fixture, body only, black	2240.00
S4LEDLS-0-X	Lustr+ x7 color system LED fixture, body and shutter assembly, black	2295.00
S4LEDL-0-X	Lustr+ x7 color system LED fixture, body only, black	2240.00
SELPA11	Paletta 11" LED fixture	963.90
SELPA21	Paletta 21" LED fixture	1677.00
SELPA42	Paletta 42" LED fixture	3315.00
SELPA63	Paletta 63" LED fixture	4875.00
SELLU11	Lustr 11" LED fixture	1174.50
SELLU21	Lustr 21" LED fixture	2024.10
SELLU42	Lustr 42" LED fixture	3705.00
SELLU63	Lustr 63" LED fixture	CALL
SELVR11	Vivid-R 11" LED fixture	1174.50
SELVR21	Vivid-R 21" LED fixture	2024.10
SELVR42	Vivid-R 42" LED fixture	3705.00
SELVR63	Vivid-R 63" LED fixture	CALL
SELVI11	Vivid-R Ice 11" LED fixture, blue/green	1174.50
SELVI21	Vivid-R Ice 22" LED fixture, blue/green	2024.10
SELVF11	Vivid-R Fire 11" LED fixture, red/yellow	1174.50
SELVF21	Vivid-R Fire 22" LED fixture, red/yellow	2024.10

ETC DESIRE™ LED LIGHT FIXTURES

The Desire D40 contains 40 Luxeon® Rebel LED emitters comprised of 7 different colors and features a user interface on the rear. It can also be controlled using any RDM-enabled controller. Offers 5 different DMX profiles: Calibrated RGB, Calibrated HSI, Calibrated HSIC, Direct, and Studio. D40XT fixtures share the 40 Series' features but adds waterproof and weatherproof housings.

ITEM	DESCRIPTION	PRICE
SELD40DI-0A-X	D40 Studio Daylight fixture with 5600K LEDs for cool white output	1634.10
SELD40FI-0A-X	D40 Fire x7 color fixture with extra-high red brightness	1400.10
SELD40HI-0A-X	D40 Studio HD fixture with warm and cool white LEDs, 5 addtional LED colors	1478.10
SELD40II-0A-X	D40 Ice x7 color fixture with extra-high blue brightness	1400.10
SELD40LI-0A-X	D40 Lustr+ x7 color fixture with high-intensity white LEDs	1400.10
SELD40TI-0A-X	D40 Studio Tungsten fixture with 3000K LEDs for warm white output	1634.10

ITEM	DESCRIPTION	PRICE
SELD40VI-0A-X	D40 Vivid high-intensity, high-saturation x7 color fixture	1400.10
SELD40FO-0X	D40XT Fire x7 color fixture with extra-high red brightness	1599.00
SELD40HO-0X	D40XT Studio HD fixture with warm and cool white LEDs, 5 addtitional LED colors	1677.00
SELD40IO-0X	D40XT Ice x7 color fixture with extra-high blue brightness	1599.00
SELD40LO-0X	D40XT Lustr+ x7 color fixture with high-intensity white LEDs	1599.00
SELD40TO-0X	D40XT Studio Tungsten fixture with 3000K LEDs for warm white output	1833.00
SELD40VO-0X	D40XT Vivid high-intensity, high-saturation x7 color fixture	1599.00
SELD40FI-0A-X	D60 Fire x7 color fixture with extra-high red brightness	1400.10

ETC SOURCE FOUR® LED

Combines the size, look, and optics of the Source Four family with the user-interface and high efficiency of the Selador Desire™ line of LED luminaires. With no burnt gels or lamps to replace, Source Four LEDs have the highest lumens per watt of any LED spotlight while retaining a 50,000-hour life. Uses the same shutter barrel, accessories, and lenses as existing Source Four fixtures (Enhanced Definition lens tubes are suggested). Features 60 Luxeon® Rebel LED emitters and comes in daylight, tungsten and lustr+ configurations. Available with the LED light engine only or the light engine with shutter assembly.

ITEM	DESCRIPTION	PRICE
S4LEDDS-0-X	Daylight 5600K LED fixture, body and shutter assembly, black	2295.00
S4LEDD-0-X	Daylight 5600K LED fixture, body only, black	2240.00
S4LEDTS-0-X	Tungsten 3000K LED fixture, body and shutter assembly, black	2295.00
S4LEDT-0-X	Tungsten 3000K LED fixture, body only, black	2240.00
S4LEDLS-0-X	Lustr+ x7 color system LED fixture, body and shutter assembly, black	2295.00
S4LEDL-0-X	Lustr+ x7 color system LED fixture, body only, black	2240.00
S4LED-SFD	Soft focus filter	15.00
419EDLT	Enhanced Definition lens tube, 19 degree	215.60
426EDLT	Enhanced Definition lens tube, 26 degree	215.60
436EDLT	Enhanced Definition lens tube, 36 degree	215.60
LED50LT	S4LED Specific 50 degree Lens Tube	254.10
S4LED-SWD6	Smooth-wash diffuser for 6.25 gel frame	27.00
S4LED-SWD7	Smooth-wash diffuser for 7.5 gel frame	28.00
S4LED-SWD12	Smooth-wash diffuser for 10° lens tube	60.00
S4LED-SWD14	Smooth-wash diffuser for 5° lens tube	95.00

AMERICAN DJ MEGA TRIPAR PROFILE LOW PROFILE LED WASH LIGHT

- Flicker free
- 40˚ beam angle
- Power Draw: 16W max
- 7 DMX channel modes
- 0-100% electronic dimming
- Slim par with(5) 3W TRI LEDs (RGB)
- Standalone or master/slave Configuration
- "Sit-flat" design: Power and DMX I/O designed so unit can be set flat on ground or inside truss
- Includes a scissor yoke (hanging bracket) to hang on truss, mount on a wall or set on the ground
- Digital DMX display with 4-button menu for easy navigation
- 5 operational modes: Auto mode and sound active feature with built-in programs

ITEM	DESCRIPTION	PRICE
MEGA-TRIPAR-PROFILE	Low profile LED wash light	129.99

AMERICAN DJ MATRIX BEAM LED

- (25) 3W warm white Cree LEDs in a 5x5 panel
- Latch system links multiple fixtures together
- Designed for use as blinder effect or matrix chase effect
- Built-in light chases, create characters in light via DMX
- 3 operation modes: auto (program run), sound active and DMX512 mode
- 4-button LED DMX display on rear panel; 3 DMX channel modes

ITEM	DESCRIPTION	PRICE
MATRIX-BEAM-LED	DMX 5x5 LED panel	699.99

NEW!

AMERICAN DJ WIFLY BAR QA5

- 25˚ beam angle
- Battery-powered LED bar
- 6 DMX channel modes (4, 6, 7, 8, 9, 22); 6 operational modes
- WiFly Transceiver with wireless DMX built-in (5) 5W QUAD LEDs (4-in-1) RGBA
- Rechargeable lithium battery, runs 6 hours on full charge
- 4-button LED display on rear panel for DMX addressing

ITEM	DESCRIPTION	PRICE
WIFLY-BAR-QA5	Battery-powered RGBA LED bar with wireless DMX	399.99

AMERICAN DJ MEGABAR 50 RGB RC LED LIGHT FIXTURE

- Beam angle: 40 degrees
- Power draw: 18W max
- 32 built-in color macros
- 22" indoor LED lighting bar with remote control
- Tri color RGB LEDs provide color mixing for stage or wall washing
- 7 Operation modes: Manual Color, Color Change, Color Fade, Auto, Sound active, RGB manual control and DMX-512
- IEC AC input and output to daisy chain power

ITEM	DESCRIPTION	PRICE
MEGA-BAR-50-RGB-RC	Light bar, LED, RGB, with emote control	149.99

AMERICAN DJ FLAT PAR TRI 7X

- 40˚ beam angle
- 32 built-in color macros
- TRI LED (3-in-1) projects no RGB shadows
- Ultra-bright slim par can with (7) 3W TRI LEDs
- 4-button LED DMX display on rear panel; 7 DMX channel modes
- 6 operation modes: manual color model, color change mode,
- color fade mode, auto mode, sound active mode and DMX512 mode

ITEM	DESCRIPTION	PRICE
FLAT-PAR-TRI7X	DMX 3W TRI-LED slim par can	169.99
ADJ-LED-RC	Remote control	19.99

AMERICAN DJ FREQ MATRIX

- (16) 5W bright white LEDs
- IEC AC input and output connections to daisy chain power
- 2-FX-IN-1: Traditional LED strobe/blinder + 16-zone chase effect
- 3 operation modes: DMX controller, master/slave and sound active
- 4-button DMX LED display on rear panel; 4 DMX channel modes
- 0-100% dimming and strobe speed controlled via DMX or knobs on rear
- Fan cooled, strobe up to 1200 times per minute, long life (30,000 hours)

ITEM	DESCRIPTION	PRICE
FREQ-MATRIX	LED strobe/blinder with matrix chase effect	399.99

AMERICAN DJ FLAT PAR QUAD 5

- 40˚ beam angle
- Low-profile design
- (5) 5W QUAD LEDs (4-in-1 RGBA or RGBW)
- In/out IEC connections to daisy chain power
- 44 color macros, color strobe effect and smooth RGB mixing
- 4-button LED DMX display on rear panel; 8 DMX channel modes
- 6 operational modes: manual color, color change, color fade, auto mode, sound active and DMX-512

ITEM	DESCRIPTION	PRICE
FLAT-PAR-QA5	DMX LED slim par (RGBA)	199.99
FLAT-PAR-QWH5	DMX LED slim par (RGBW)	199.99

AMERICAN DJ WIFLY PAR QA5

- 25˚ beam angle
- Rechargeable lithium battery
- (5) 5W QUAD LEDs (4-in-1) RGBA
- 4-button LED DMX display on rear panel
- WiFly Transceiver wireless DMX onboard
- Battery-powered flat par with wireless DMX
- 8 DMX Channel modes; 6 Operational modes
- Battery-powered flat par with wireless DMX

ITEM	DESCRIPTION	PRICE
WIFLY-PAR-QA5	Battery powered par can with wireless DMX	399.99

AMERICAN DJ FLAT PAR QUAD 12

- 40˚ beam angle
- Low-profile design
- (12) 5W QUAD LEDs (4-in-1 RGBA or RGBW)
- In/out IEC connections to daisy chain power
- 44 color macros, color strobe effect and smooth RGB mixing
- 4-button LED DMX display on rear panel; 8 DMX channel modes
- 6 operational modes: manual color, color change, color fade, auto, sound active and DMX-512

ITEM	DESCRIPTION	PRICE
FLAT-PAR-QA12	DMX LED slim par (RGBA)	329.99
FLAT-PAR-QWH12	DMX LED slim par (RGBW)	329.99

BLIZZARD LIGHTING ROKBOX™

- (18) 10W 4-in-1RGBW LEDs
- 3/4/5/8/9 DMX channel modes
- 5 user-selectable 32-bit dimming curves
- Variable electronic dimming and strobe
- Built-in color and chase macros via DMX
- Built-in automated programs via master/slave
- RGBW color mixing ability in standalone mode
- 4-button DMX LED display

ITEM	DESCRIPTION	PRICE
ROK-BOX	LED wash light (RGBW)	399.99

BLIZZARD LIGHTING TOUGHPAR™ QUADRA IP-65 RATED LED PAR FIXTURE

- RGBW color mixing
- 18 10W Quad-Color RGBW LEDs
- Beam angle: 25°, Field angle: 30°
- Built-in color and chase macros via DMX
- LED display with 4-button control panel
- Dual mounting brackets for positioning flexibility
- Weatherproof, IP-65-rated, cast aluminum enclosure with tempered glass lens and watertight internal gaskets
- HSV (3-Channel), RGBW (4-Channel), RGBW + Dimmer (5-Channel) and Extended (8-Channel/9-Channel) DMX Profiles

ITEM	DESCRIPTION	PRICE
TOUGHPAR-QUADRA	IP-65 rated LED par fixture	569.99

BLIZZARD LIGHTING PUCK3-NX FLAT LED PAR FIXTURE

- Variable electronic strobe
- Built-in chase macros via DMX
- Easy-to-use LED control panel
- All-metal case with dual mounting yokes
- RGB color mixing via 9x Edison® 3W tri-color LEDs
- Variable electronic dimmer (0-100%)
- User-selectable 3 (RGB dimming) or 6 DMX ch.
- Full RGB mixing – standalone, Master/Slave, and DMX

ITEM	DESCRIPTION	PRICE
PUCK3-NX	Low profile LED par fixture	199.99

BLIZZARD LIGHTING PUCK Q12 FLAT LED PAR CAN

- Selectable 4 or 7 DMX channels
- Variable electronic strobe and dimmer
- All metal case with dual mounting yokes
- Linkable with all other Blizzard Puck par cans
- (12) 10W Quad-Color (RGBW or RGBA) LEDs
- Full RGBW or RGBA color mixing plus 15 built-in colors in standalone, master/slave and DMX modes

ITEM	DESCRIPTION	PRICE
PUCK-Q12W	Quad-color flat par can (RGBW)	279.99
PUCK-Q12/A	Quad-color flat par can (RGBA)	279.99

BLIZZARD LIGHTING THE PUCK PRO ZOOM™ LED PAR CAN

- 25°-45° zoom PAR fixture
- Long-life LEDs (rated at 60,000hrs)
- (14) 10W RGBW quad-color TianXin LEDs
- 7 DMX modes, including RGBW and HSV color mixing modes
- Rugged all-aluminum chassis with dual mounting yokes and handle
- User-selectable DMX channel modes, dimming, color temp, power options, color display and more

ITEM	DESCRIPTION	PRICE
PUCK-PRO-ZOOM	LED par can with zoom	399.99

BLIZZARD LIGHTING THE PUCK FAB5™ LED PAR CAN

- (7) 15W 5-in-1 RGBWA LEDs
- 25° beam angle, 29° field angle
- 4-button LED control panel for easy programming
- Full RGBAW color mixing in standalone and master/slave
- Built-in sound active plus automated programs via DMX and master/slave
- Color preset (3-channel), RGBAW (5-channel) and extended (12-channel) DMX

ITEM	DESCRIPTION	PRICE
PUCK-FAB-5	5-in-1 LED par can (RGBWA)	255.55

BLIZZARD LIGHTING TOUGHSTICK™ RGBAW STRIP WASH



- IP65 rating
- 25° beam angle
- LED control panel
- (60) 3W RGBAW LEDs
- Variable electronic strobe and dimmer
- RGBAW color mixing ability in standalone mode
- Independent control of 3 pixels (20 LEDs each)
- User-selectable 4/5/6/10/16/20-channel DMX modes
- Built-in color and chase macros via DMX, programs via master/slave

ITEM	DESCRIPTION	PRICE
TOUGH-STICK-RGBAW	LED strip wash	599.99

CHROMA-Q COLOR FORCE 12 LED FIXTURE

- Aluminum body
- Smooth, uniform wash
- 2,400 lumen output
- Built-in power supplies
- Full RGBA color palette and h92 CRI
- Deep blues and reds from a single fixture
- HSI, RGB, RGBA, and StRGBA DMX modes included
- Length (1') is ideal for floor, wall, or truss mounting

ITEM	DESCRIPTION	PRICE
CHCF12NFRGBA	Color Force™ 12" RGBA Black	1209.60

DARKLIGHT PRECISION DMX MICRO RGB FLOOD

PRECISION-DMX COMPACT SIZE

- IP65 rating
- 7-channel DMX control
- 25° lens angle, 50,000hr lamp life
- DMX address and configuration stored in EEPROM
- World's smallest DMX512 controllable theatrical floodlight
- Full color control via DMX512; DarkBox Programmer (sold separately) required to change DMX from default address 1
- Built-in functions: flicker, strobe, blink, fade, color change, master dimming, color macro

ITEM	DESCRIPTION	PRICE
PRECISION-DMX	Miniature DMX RGB flood	85.00
DARKBOX-PROGRAMMER	DMX addressing tool	85.00

DARKLIGHT GANTOM IQ MICRO IMAGE PROJECTOR

- IP65 rating
- Dual-polarity input
- Smallest gobo projector on the market
- Zoom- and focus-adjustable with sliding lenses
- 2-wire dimming using PWM input (10%-100%)
- Supports full-color, user-made 3/4" patterns
- 25°-40° lens angle, 50,000hr lamp life

ITEM	DESCRIPTION	PRICE
GANTOM-IQ	Miniature gobo projector	204.00

DARKLIGHT GANTOM DMX MICRO FLOOD



GANTOM-DMX COMPACT SIZE

- IP65 rating
- Flicker-free and video-ready
- 20° lens angle, 50,000hr lamp life
- Integrates into any existing DMX universe
- DMX address and configuration stored in EEPROM
- Available in RGBW (4-channel) or dynamic white (2-channel)
- Quad-chip LED and matching optics for homogenous color output

ITEM	DESCRIPTION	PRICE
GANTOM-DMX	Miniature DMX flood	153.00

DARKLIGHT DARKBOX CONTROLLERS

DARKBOX-FLICKER DARKBOX-DMX-MICRO DARKBOX-PROGRAMMER

Compact and versatile controllers. The Flicker and DMX Micro versions offer simple operation, LED indicators, can drive multiple fixtures in sync and make any 12V LED flicker, strobe, blink, surge, pulsate, or dim. The Flicker can also generate patterns and the DMX Micro has fully-tunable speed and brightness for any mode. The Programmer is compatible with all DMX devices and functions as a DMX addresser and configurator. It even has a built-in 224-channel single scene output and DMX controller for use with static effects.

ITEM	DESCRIPTION	PRICE
DARKBOX-FLICKER	LED dimmer and pattern generator	42.50
DARKBOX-DMX-MICRO	Multi-functional LED dimmer	51.00
DARKBOX-PROGRAMMER	DMX addresser and configurator	85.00

DARKLIGHT PRECISION Z HIGH POWER MICRO SPOT OR FLOOD



- Dual polarity input
- IP68 rating, submersible to 3ft
- 2-wire dimming using PWM input (10%-100%)
- Equivalent to traditional 20W halogen fixtures
- 95% energy savings compared to 20W halogen lamp
- Lens angle is 15° for spot and 120° for flood, 50,000hr lamp life
- Spot is available in red, green, blue, amber, cool white, warm white and ultraviolet

ITEM	DESCRIPTION	PRICE
PRECISION-Z-SPOT	Miniature spot	38.25
PRECISION-Z-FLOOD	Miniature flood	38.25

ELATION EPAR TRI LED PAR CAN

- (14) 3W Tri RGB LEDs
- 10º standard beam angle
- Dual-yoke floor stand
- No colored shadows
- Flicker-free operation
- Long life 50,000hr LEDs
- 4-digit LED display
- 0-100% electronic dimming
- 1/2/3/4/6/7 DMX channel operation mode

ITEM	DESCRIPTION	PRICE
EPAR-TRI	LED par can	329.99

ELATION OPTI TRI WHITE LED FIXTURE

- Flicker-free operation
- 3-pin and 5-pin DMX connections
- Neutrik® PowerCON in/out
- 100-240V switching power 47-63Hz
- Dual-yoke for floor mounting
- Fan-cooled with 50,000hrs of LED life
- Stand-alone mode, sound-active mode and DMX control
- (54) 3W Tri White™ LEDs (18 cool white, 18 warm white and 18 amber)

ITEM	DESCRIPTION	PRICE
OPTI-TRI-WHITE	Tri White™ LED fixture	699.99

ELATION DESIGN LED PAR ZOOM LED PAR FIXTURE WITH VARIABLE ZOOM

- 36 (10 Red, 10 Blue and 16 Green) x 3W RGB LEDs
- Sound active mode with 8 built-in chases
- Weighs 15.4 lbs.
- 3-Pin XLR in/out
- Power consumption: 60W
- 7º to 49º motorized zoom
- 4-digit LED display-flip option
- Split yoke up-light bracket
- DMX-512 control with 8 channels
- Smooth and flicker-free color mixing
- Die-cast aluminum with gel frame holder
- Rigging: split yoke bracket with safety cable eye

ITEM	DESCRIPTION	PRICE
DESIGN-LED-PAR-ZOOM	LED par fixture with variable zoom	899.99

ELATION EPAR QA LED PAR CAN

- (14) 5W Quad RGBA LEDs
- 10º standard beam angle
- Dual-yoke floor stand
- No colored shadows
- Flicker-free operation
- Long life 50,000hr LEDs
- 0-100% electronic dimming
- 4-digit LED display
- 1/2/3/4/6/7 DMX channel operation mode

ITEM	DESCRIPTION	PRICE
EPAR-QA	LED par can	449.99

ELATION EVENT BAR LED PINSPOT

- Full DMX control
- 4-head X-Y Bar
- 360° pan and 270° tilt
- (4) 3W white LED pinspots
- Full dimming on each pinspot head
- 3 DMX modes– 12-channel, 14-channel, 25-channel
- 12° beam angle with optional 6° beam angle included
- Easy-to-use display for DMX or internal program access

ITEM	DESCRIPTION	PRICE
EVENT-BAR-DMX	LED bar with 4 pinspots	599.99

ELATION PRO LIGHTING ARENA PAR LED WASH

- 90 x 3W LEDs
- 4-digit LED display
- On-board control
- 15° standard beam angle
- 7-channel mode macros
- 0-100% electronic dimming
- 3 DMX control modes: 4, 5, 7

ITEM	DESCRIPTION	PRICE
ARENA-PAR	RGBW LED par can, 90x 3W LEDs	1199.99

ELATION VOLT Q5 WEATHERPROOF LED SPOT

- 16,000 lux @ 8ft
- (5) 15W RGBW LEDs
- Built-in wireless DMX receiver
- Excellent color mixing and tight beam
- Weather-resistant housing with IP65 rating
- Rechargeable battery with charging station
- Compact and solid design with built-in handle
- 4-button LED control panel for easy programming

ITEM	DESCRIPTION	PRICE
VOLT-Q5	IP65 rated LED spot	2199.99

ELATION OPTI TRI 30 LED SPOTLIGHT

- 7x 3W LEDs
- Digital DMX display
- 5-pin DMX connection
- Dimming 0-100%
- Tri-color LED technology for better colors (no multicolor shadows)
- DMX channels: 1, 2, 3, 4, 6 or 7-channel modes
- 4 operational modes: sound active, macro, auto & DMX
- Double hanging brackets (may be set on the floor)
- 10° (optional 25°) beam angle
- Multi-voltage internal PSU
- 25W total power draw

ITEM	DESCRIPTION	PRICE
OPTI-TRI-30	LED spotlight	299.99

ELATION LEVEL Q7 LED FLAT PAR FIXTURE

- Weighs 10lbs
- 14,700 lux @ 2.5m
- 3- and 5-pin DMX
- Neutrik® PowerCon in/out
- (7) 15W RGBW OSRAM Quad LEDs
- High-output and professional grade

ITEM	DESCRIPTION	PRICE
LEVEL-Q7	Quad LED par fixture	999.99

ELATION OPTI QUAD PAR QUAD LED PAR FIXTURE

- Flicker free
- Power con in/out
- 18 x 5W quad RGBW LEDs
- Quad color technology
- Smooth dimming control
- 10° standard beam angle
- Power Consumption: 140W max
- Strobe effect (1-18 flashes per second)
- DMX-512- controllable via 6 DMX modes
- Split yoke bracket: floor-stand or mount
- 3-pin and 5-pin XLR data input and output

ITEM	DESCRIPTION	PRICE
OPTI-QUAD-PAR	Quad LED Par Fixture	799.99

ELATION FLEX PIXEL WP LED PIXEL TAPE

- Flex Pixel IR allows for standalone control
- 10' flexible LED pixel tape with waterproof cover
- Mountable to any surface with optional Flex IP Clip Kit
- 15mmW x 5mmH x 3mtrL (not including in/out cables)
- Flex Pixel 5VPSU power supply required for each section of tape
- Flex Pixel Driver offers up to 2 tapes and up to 432 DMX channels of control
- (72) RGB SMD tri color LED pixels (216 ch.) per tape spaced on 40mm centers

ITEM	DESCRIPTION	PRICE
FLEX-PIXEL-WP	LED pixel tape, power supply not included	149.99
FLEX-IP-CLIP-KIT	Mounting clip to mount to any surface	6.68
FLEX-PIXEL-DRIVER	DMX driver	84.99
FLEX-PIXEL-IRC	IR receiver and remote	37.99
FLEX-PIXEL-5VPSU	5V standard power supply unit	29.99

ELATION EVENT CYLINDER

- IP65 rated
- RGB color mixing
- Manual, auto, and master/slave modes
- Battery powered with 12 hour life, 6 hour charge
- DMX version has (4) modes, 1-, 3-, 4-, and 6-channel
- (2) versions - DMX has 72 Tri Color LEDs, RF has 48

ITEM	DESCRIPTION	PRICE
EVENT-CYLINDER-DMX	LED cylinder with wireless DMX	549.99
EVENT-CYLINDER-RF	LED cylinder with RF and remote	399.99

NEW!

ELATION PROTRON LED STROBE LIGHT

- (576) 6500K white LEDs
- 28,000 lumens
- 120° beam angle
- IP65 rugged die cast case
- DMX and RDM control
- Full ON mode, bursts and linear dimming
- IP Rated PowerCon In and Thru connections
- 100-240V AC Auto Sensing, 150W

ITEM	DESCRIPTION	PRICE
PROTRON-LED-STROBE	LED strobe light	999.99

ENTTEC

NEW!

ENTTEC ALEPH 2 ET

- 6-color (RGBAWW) mixing CREE LEDs
- 20° lens standard (adjustable with filters)
- Isolated DMX in and out on 5-pin XLR
- Strong and lightweight aluminum enclosure
- 3 RDM selectable profiles (8-bit, 16-bit and 8-bit + strobe)
- Available in 4 lengths: 300mm (1ft), 600mm (2ft), 900mm (3ft) and 1200mm (4ft)

ITEM	DESCRIPTION	PRICE
73500-ENTTEC	300mm LED light bar	523.00
73501	600mm LED light bar	798.00
73502	900mm LED light bar	1297.00
73503	1200mm LED light bar	1501.00

NEW!



ENTTEC ALEPH MATRIX LED

- Control over USB and Cat5 link
- Accepts any Art-Net input source
- 20mm led pitch, 64 RGB pixels per tile
- Flexible positioning and easy assembly
- Daisy chain over AlephM data link / IEC mains power
- Lightweight design (535g) with low power consumption (25W)

ITEM	DESCRIPTION	PRICE
70901	20mm pitch 8x8 LED panel	209.00
70902	USB transmitter	209.00

Martin

MARTIN RUSH STROBE 1 5X5

NEW!

- 3-pin and 5-pin XLR
- 5x5 matrix panel
- DMX or sound activated
- (25) 5W Cree cool white LEDs
- Individually controllable LEDs
- Preprogrammed macros (effects, letters, numbers, etc.)
- Linkable – integrated horizontal and vertical locking
- Multiple DMX control options and standalone mode

ITEM	DESCRIPTION	PRICE
RUSH-STROBE	LED strobe/blinder	940.28

NEW!

MARTIN RUSH PAR 1 RGBW

- 2 DMX channel modes (5/7)
- 20° fixed beam angle
- Premixed RGBW color mixing
- Electronic dimming and strobe
- (7) 10W RGBW Cree MC-E LEDs
- DMX and standalone control options
- Flexible bracket for floor or truss mounting

ITEM	DESCRIPTION	PRICE
RUSH-PAR-1	LED par can	485.10

MARTIN EASYPIX MODULAR LED STRIPLIGHT

- Full spectrum RGB color mixing
- Swappable diffuser lenses
- Easy to install
- Modular, plug-and-play, LED striplight
- DMX controllable or 64 ready-to-go stand-alone programs
- Available in two lengths: 300 mm (1 ft) and 1200 mm (4 ft)

ITEM	DESCRIPTION	PRICE
EASYPIX-300	300mm LED striplight	200.97
EASYPIX-1200	1200mm LED striplight	537.14
EASYPIX-POWER	Accessory power supply	507.91

ROSCO

ROSCO MIRO CUBE™ FAMILY

These 48W LED wash lights put more than 3000 lumens into a compact and portable 4" cube. The rugged, geometric design is perfect for museums, track-light systems, in stores and lobbies or built into sets, truss and lighting rigs.

- Bolted yoke design allows units to be easily ganged
- Flicker-free dimming through DMX (8- or 16-bit resolution)
- Plugs directly into wall anywhere in the world, adjusting automatically to 90-240VAC 50-60Hz
- More than 40 units can be powered from a single 20A circuit LCD control panel
- Full color mixing, tunable white, or black light versions (in black or white finish)

ITEM	DESCRIPTION	PRICE
MIROCUBE-4C	Color-mixing LED wash	820.31
MIROCUBE-WNC	Tunable white LED wash	820.31
MIROCUBE-UV	Blacklight LED wash	1257.81
MIROCUBE-RGBW	RGBW LED wash	726.56

PHILIPS

COLOR KINETICS

PHILIPS COLOR KINETICS VAYA FLOOD RGB

- DMX-512 control
- IP66-rated for wet exterior use
- Auto-ranging 100V-240V 50/60Hz input
- High-brightness red, green and blue LEDs
- Color-changing fixture for interior and exterior use
- Available in multiple size and beam configurations

ITEM	DESCRIPTION	PRICE
316-000007-04	8.8"x9.3" Vaya Flood LP RGB, 10° beam angle	463.00
316-000007-05	8.8"x9.3" Vaya Flood LP RGB, 20° beam angle	463.00
316-000007-06	8.8"x9.3" Vaya Flood LP RGB, 30° beam angle	463.00
316-000008-04	10.8"x13.9" Vaya Flood MP RGB, 10° beam angle	773.00
316-000008-05	10.8"x13.9" Vaya Flood MP RGB, 20° beam angle	773.00
316-000008-06	10.8"x13.9" Vaya Flood MP RGB, 30° beam angle	773.00

PHILIPS COLOR KINETICS COLORBLAST TRX THEATRICAL WASH LIGHT

- Interchangeable lenses
- Stand alone or DMX operation
- Red, Green, Blue, Amber, and White LEDs
- 4 DMX modes including 16-bit color control
- Wide variety of optional beam shaping accessories

ITEM	DESCRIPTION	PRICE
116-000029-00	Color Blast TRX	779.00
120-000005-04	Top hat	43.00
120-000009-04	Half top hat	39.00
120-000015-04	Egg crate louvers	101.00
120-000019-04	Barndoors	105.00
120-000025-00	Horizontal spread lens 36°/50°	62.00
120-000025-01	Horizontal/vertical spread lens 40°/40°	54.00

PHILIPS COLOR KINETICS VAYA LINEAR COLOR



- Integrated power
- Interior/Exterior – IP65
- For fixed or dynamic color effects
- Tilting surface-mount bracket
- Aluminum finish, tempered glass lens
- Auto-ranging 100V-240V, 50/60Hz output
- DMX-512 control/RDM discovery and addressing

ITEM	DESCRIPTION	PRICE
316-000002-08	13W 13" fixture, wide 50° beam	271.00
316-000002-09	13W 13" fixture, narrow 10°x50° beam	271.00
316-000002-02	41W 40" fixture, wide 50° beam	519.00
316-000002-03	41W 40" fixture, narrow 10°x50° beam	519.00

PHILIPS COLOR KINETICS ICOLOR COVE QLX

- Generates saturated color and dynamic effects in alcoves, accent spaces and other interior spaces
- 16.7 million additive RGB colors; continuously variable intensity
- DMX-512 control/RDM discovery and addressing
- Chromasic technology integrates auto-addressing, power, communication and control to lower system cost
- Mixing distance of 2" to uniform light
- Available in multiple size and beam configurations

ITEM	DESCRIPTION	PRICE
101-000066-00	12" iColor Cove QLX, 120°x120° beam angle	95.00
101-000066-01	12" iColor Cove QLX, 100°x40° beam angle	95.00
101-000066-02	6" iColor Cove QLX, 120°x120° beam angle	71.00
101-000066-03	6" iColor Cove QLX, 100°x40° beam angle	71.00